IN THE SPECIFICATION

Please amend the specification as follows:

Please add the following section:

5

CROSS REFERENCE TO RELATED APPLICATIONS

This is a division of pending serial number 09/681,471, filed on April 13, 2001.

10

15

20

IN THE CLAIMS

Please cancel claims 1-36.

37. (Original) A method for restoring medical data to a data source from a remote data store, said method comprising:

detecting an error in accessed medical data;

transferring a copy of said medical data from a remote data store to said data source; and

restoring said medical data by replacing said medical data at said data source with said copy of said medical data.

- 38. (Currently Amended) The method of claim 37, further comprising the step of previously obtaining said medical data at said data source and storing said medical data at said remote data store.
- 39. (Original) The method of claim 37, further comprising the step of copying said medical data to a second data source.

- 40. (Original) The method of claim 37, wherein said transferring step further comprises verifying said transferring of medical data from said remote data store to said data source.
- 41. (Original) The method of claim 37, further comprising the step of authenticating access to said remote data store.

5

10

15

20

- 42. (Original) The method of claim 37, wherein said transferring step further comprises transferring said medical data from a directory representative of said data source at said remote data store to said data source.
- 43. (Original) A method for installing medical data from a first data source to a second data source, said method comprising:

storing data remotely from a first data source to a remote data store; providing access to a second data source;

transferring said medical data from said remote data store to said second data source; and

storing said medical data at said second data source.

- 44. (Original) The method of claim 43, wherein said transferring step further comprises transferring said medical data from a directory representative of said first data source at said remote data store to said second data source.
- 45. (Original) The method of claim 43, wherein said transferring step further comprises transferring files of medical data from said remote data store to said second data store.
 - 46. (Original) The method of claim 43, wherein said transferring step further comprises transferring the entire contents of said first data source from said remote data store to said second data source.

- 47. (Original) The method of claim 43, wherein said transferring step further comprises verifying said transferring of medical data from said remote data store to said second data source.
- 48. (Original) The method of claim 44, further comprising the step of authenticating access to said remote data store.

5

10

15

20

- 49. (Original) The method of claim 44, wherein said transferring step occurs after a definable interval.
- 50. (Original) The method of claim 49, wherein said definable interval comprises a timed interval.
- 51. (Original) The method of claim 49, wherein said definable interval comprises an event-based interval.
- 52. (Original) The method of claim 49, wherein said definable interval comprises a manual interval.
- 53. (New) A remote data retrieval system, said system comprising:
 a centralized remote data store for storing medical data, the centralized remote
 data store storing data from a first data source;
 - a second data source providing medical data; and
- a status monitor for controlling a transfer of the medical data from the centralized remote data store to the second data source.
- 54. (New) The system of claim 53, wherein the first data source is equal to the second data source.
- 55. (New) The system of claim 53, wherein the status monitor triggers a restoration of medical data from the centralized remote data store to the second data source.

- 56. (New) The system of claim 53, wherein medical data is transferred to the second data source in response to an error.
- 57. (New) The system of claim 53, wherein the centralized remote data store stores the medical data in a directory representative of the first data source.